



## ANNEXURE 2

### LIST OF NATIVE PLANT SPECIES

#### Eco-housing Assessment Criteria - Version II

August 2009

*Implemented under Eco-housing Mainstreaming Partnership by IIEC with funding support from USAID*

## **Table of Contents**

### **1 LIST OF NATIVE SPECIES IN DIFFERENT GEOGRAPHIC AND CLIMATIC REGIONS OF INDIA.... 2**

1.1	Central Highlands and Deccan Plateau .....	2
1.2	Eastern Plains.....	5
1.3	Eastern Plateau .....	6
1.4	Northern Region and North Eastern Hills .....	8

## 1 LIST OF NATIVE SPECIES IN DIFFERENT GEOGRAPHIC AND CLIMATIC REGIONS OF INDIA<sup>1</sup>

### 1.1 Central Highlands and Deccan Plateau

The Central Highlands comprise of three main plateaus — the Malwa Plateau in the west, the Deccan Plateau in the south (covering most of the Indian peninsula) and the Chota Nagpur Plateau in the east.

Agro-climatic zone	Central Highlands (1)	Central Highlands (2)
Soil type	Red and black soils	Medium to dark black soils
Climatic condition	Sub-humid	Semi-arid
<b>Shrubs with fragrant flowers</b>	<i>Lawsonia alba</i> <i>Nyctanthes arbortristis</i> <i>Thevetia nerifolia</i>	<i>Tabernaemontana coronaria</i> <i>Lawsonia alba</i> <i>Nyctanthes arbortristis</i> <i>Mimusops elengi</i> <i>Murraya exotica</i> <i>Cestrum nocturnum</i> <i>Thevetia nerifolia</i>
<b>Ornamental and flowering trees</b>	<i>Cochlospermum gossypium</i> <i>Terminalia arjuna</i> <i>Lagerstroemia flosreginae</i> <i>L. thorellii</i> <i>Peltophorum inerme</i> <i>Butea frondosa</i> <i>Bauhinia purpurea</i> <i>B. tomentosa</i> <i>Browne coccinia</i> <i>Cassia fistula</i> <i>Pongamia glabra</i> <i>Kydia calycina</i> <i>Ficus bengalensis</i> <i>Moringa oleifera</i> <i>Madhuca latifolia</i> <i>Mangifera indica</i>	<i>Cochlospermum gossypium</i> <i>Terminalia arjuna</i> <i>Lagerstroemia flosreginae</i> <i>L. thorellii</i> <i>Peltophorum inerme</i> <i>Butea frondosa</i> <i>Bauhinia purpurea</i> <i>B. tomentosa</i> <i>Browne coccinia</i> <i>Cassia fistula</i> <i>Pongamia glabra</i> <i>Kydia calycina</i> <i>Ficus bengalensis</i>

1. Sourced from -Eco-Housing Training Manual: For Enablers, The Energy and Resources Institute, New Delhi, T E R I. 2007, Project Report No.2007BS07 and with inputs from Ketaki Ghate and Manasi Karandikar of OIKOS, [www.oikos.in](http://www.oikos.in)

*Annexure 2 - List of Native Species*

Agro-climatic zone	Central Highlands (1)	Central Highlands (2)
	Bamboo sps	<i>Moringa oleifera</i>
		<i>Madhuka latifolia</i>
		<i>Mangifera indica</i>
		Bamboo sps

**Deccan Plateau**

Agro-climatic zone	Deccan Plateau (3)	Deccan Plateau (4)	Deccan Plateau (5)
Soil type	Red and black soils	Black soils	Red and black soils
Climatic condition	Arid	Semi-arid	Semi arid
<b>Shrubs with fragrant flowers</b>	<i>Tabernaemontana coronaria</i>	<i>Tabernaemontana coronaria</i>	<i>Tabernaemontana coronaria</i>
	<i>Nyctanthes arbortristis</i>	<i>Lawsonia alba Lam</i> <i>Hiptage madablota</i>	
	<i>Murraya exotica</i>	<i>Hiptage madablota</i>	<i>Nyctanthes arbortristis</i>
		<i>Nyctanthes arbortristis</i>	
		<i>G.lucida</i>	<i>G.lucida</i>
		<i>G. latifolia</i>	<i>G. latifolia</i>
		<i>Ixora parviflora</i>	<i>Ixora parviflora</i>
		<i>Gardenia resinifera</i>	<i>Gardenia resinifera</i>
		<i>Anthocephalus cadamba</i>	<i>Anthocephalus cadamba</i>
		<i>Mimusops elengi</i>	<i>Mimusops elengi</i>
		<i>Murraya exotica</i>	<i>Murraya exotica</i>
		<i>Cestrum nocturnum</i>	<i>Cestrum nocturnum</i>
		<i>Thevetia neriiifolia</i>	<i>Thevetia neriiifolia</i>
<b>Ornamental and flowering trees</b>	<i>Terminalia arjuna</i>	<i>Plumeria acutifolia</i>	<i>Plumeria acutifolia</i>
	<i>Lagerstroemia flosreginae</i>	<i>P. rubra</i>	<i>P. rubra</i>
	<i>L. thorellii</i>	<i>P. alba</i>	<i>P. alba</i>
	<i>Bauhinia purpurea</i>		
	<i>B. tomentosa</i>		
		<i>Cochlospermum gossypium</i>	<i>Cochlospermum gossypium</i>
		<i>Cordia sebestena</i>	<i>Cordia sebestena</i>
		<i>Terminalia arjuna</i>	<i>Terminalia arjuna</i>
	<i>Browne coccinia</i>	<i>Crataeva religiosa</i>	<i>Crataeva religiosa</i>
		<i>Lagerstroemia</i>	<i>Lagerstroemia</i>

*Annexure 2 - List of Native Species*

Agro-climatic zone	Deccan Plateau (3)	Deccan Plateau (4)	Deccan Plateau (5)
Soil type	Red and black soils	Black soils	Red and black soils
Climatic condition	Arid	Semi-arid	Semi arid
		flosreginae	flosreginae
	Pongamia glabra	L. thorellii	L. thorellii
	Mangifera indica	Enterolobium saman	Enterolobium saman
	Bamboo sps	Peltophorum inerme	Peltophorum inerme
		Butea frondosa	Butea frondosa
		Bauhinia purpurea	Bauhinia purpurea
		B. tomentosa	B. tomentosa
		B. variegata	Browne coccinia
		Browne coccinia	
		Cassia fistula	Cassia fistula
		Enterolobium saman	Enterolobium saman
		Saraca indica	Saraca indica
	Pongamia glabra	Pongamia glabra	
	Pterocarpus indicus	Pterocarpus indicus	
	Kydia calycina	Kydia calycina	
	Thespesia populnea	Thespesia populnea	
	Ficus bengalensis	Ficus bengalensis	
	Moringa oleifera	Moringa oleifera	
	Madhuka latifolia	Madhuka latifolia	
	Guaiacum officinale	Sterculia foetida	
	Terminalia catappa	Guaiacum officinale	
		Mangifera indica	Mangifera indica
		Bamboo sps	Bamboo sps
<b>Trees with ornamental foliage</b>	Tamarindus indica	Polyalthia longifolia	Polyalthia longifolia
	Azadirachta indica	Putranjiva roxburghii	Putranjiva roxburghii
		Tamarindus indica	Tamarindus indica
		Azadirachta indica	Azadirachta indica
		Moringa plerygosperma	Moringa plerygosperma
		Callistemon lanceolatus	Callistemon lanceolatus

Agro-climatic zone	Deccan Plateau (3)	Deccan Plateau (4)	Deccan Plateau (5)
Soil type	Red and black soils	Black soils	Red and black soils
Climatic condition	Arid	Semi-arid	Semi arid
<b>Shade trees</b>	Tamarindus indica Azadirachta indica	Tamarindus indica Azadirachta indica	Azadirachta indica Azadirachta indica
		Mangifera indica	Mangifera indica

## 1.2 Eastern Plains

Agro-climatic zone	Eastern coastal plain (6)	Eastern Plain (8)	Eastern Plain (9)
Soil type	Alluvium	Alluvium derived soils	Red and yellow soils
Climatic condition	Sub-humid	Subhumid	Perhumid-subhumid
<b>Shrubs with fragrant flowers</b>	Artabotrysodoratissimus Hiptage madablotia Ixora parviflora Gardenia resinifera		Artabotrysodoratissimus Michelia champaca Ixora parviflora Anthocephalus cadamba
<b>Ornamental and flowering trees</b>	Plumeria acutifolia P. rubra P. alba Dillenia indica Lagerstroemia flosreginae L. thorellii Amherstia nobilis Enterolobium saman Cassia fistula	Dillenia indica Plumeria acutifolia P. rubra P. alba Dillenia indica Lagerstroemia flosreginae L. thorellii Amherstia nobilis Enterolobium saman Butea frondosa	
	Enterolobium saman Saraca indica Pterocarpus indicus		Cassia fistula Enterolobium saman Saraca indica

*Annexure 2 - List of Native Species*

Agro-climatic zone	Eastern coastal plain (6)	Eastern Plain (8)	Eastern Plain (9)
Soil type	Alluvium	Alluvium derived soils	Red and yellow soils
Climatic condition	Sub-humid	Subhumid	Perhumid-subhumid
	<i>Thespesia populnea</i>		<i>Pongamia glabra</i>
			<i>Kydia calycina</i>
			<i>Chorisia speciosa</i>
			<i>Thespesia populnea</i>
			<i>Ficus bengalensis</i>
			<i>Moringa oleifera</i>
			<i>Madhuka latifolia</i>
			<i>Sterculia foetida</i>
			<i>Mesua ferra</i>
			Bamboo sps
<b>Trees with ornamental foliage</b>	<i>Polyalthia longifolia</i> <i>Sapium sebiferum</i>		<i>Polyalthia longifolia</i>
	<i>Putranjiva roxburghii</i>		<i>Putranjiva roxburghii</i>
			<i>Azadirachta indica</i>
			<i>Moringa pterygosperma</i>
<b>Shade trees</b>			<i>Azadirachta indica</i>

### 1.3 Eastern Plateau

Agro-climatic zone	Eastern Ghats Tamil Nadu Uplands (7)	Eastern Plateau (10)	Eastern Plateau (11)
Soil type	Red loamy soils	Red and lateritic soils	Red and yellow soils

*Annexure 2 - List of Native Species*

Climatic condition	Semi-arid	Sub-humid	Sub-humid
<b>Shrubs with fragrant flowers</b>			
	<i>Tabernaemontana coronaria</i>	<i>Tabernaemontana coronaria</i>	<i>Tabernaemontana coronaria</i>
	<i>Hiptage madablotia</i>	<i>G. lucida</i>	<i>Lawsonia alba</i> Lam
	<i>Nyctanthes arbortristis</i>	<i>G. latifolia</i>	<i>G. lucida</i>
	<i>G. lucida</i>	<i>Ixora parviflora</i>	<i>G. latifolia</i>
	<i>G. latifolia</i>	<i>Anthocephalus cadamba</i>	<i>Mimusops elengi</i>
	<i>Ixora parviflora</i>	<i>Mimusops elengi</i>	<i>Thevetia nerifolia</i>
	<i>Gardenia resinifera</i>	<i>Cestrum nocturnum</i>	
		<i>Anthocephalus cadamba</i>	
		<i>Mimusops elengi</i>	
	<i>Murraya exotica</i>		
	<i>Cestrum nocturnum</i>		
<b>Ornamental and flowering trees</b>			
	<i>Plumeria acutifolia</i>	<i>Plumeria acutifolia</i>	
	<i>P. rubra</i>	<i>P. rubra</i>	<i>Cochlospermum gossypium</i>
	<i>P. alba</i>	<i>P. alba</i>	<i>Cordia sebestena</i>
	<i>Cochlospermum gossypium</i>	<i>Cochlospermum gossypium</i>	<i>Terminalia arjuna</i>
	<i>Terminalia arjuna</i>	<i>Cordia sebestena</i>	<i>Lagerstroemia flosreginae</i>
	<i>Crataeva religiosa</i>	<i>Terminalia arjuna</i>	<i>L. thorellii</i>
	<i>Dillenia indica</i>	<i>Crataeva religiosa</i>	<i>Butea frondosa</i>
	<i>Lagerstroemia flosreginae</i>	<i>Dillenia indica</i>	<i>Bauhinia purpurea</i>
	<i>L. thorellii</i>	<i>Lagerstroemia flosreginae</i>	<i>B. tomentosa</i>
	<i>Enterolobium saman</i>	<i>L. thorellii</i>	
	<i>Butea frondosa</i>	<i>Amherstia nobilis</i>	<i>B. variegata</i>
	<i>Bauhinia purpurea</i>	<i>Enterolobium saman</i>	<i>B. acuminata</i>
	<i>B. tomentosa</i>	<i>Butea frondosa</i>	<i>Browne coccinia</i>
	<i>Browne coccinia</i>	<i>Bauhinia purpurea</i>	<i>Cassia fistula</i>
	<i>Cassia fistula</i>	<i>B. tomentosa</i>	<i>Saraca indica</i>
	<i>Enterolobium saman</i>	<i>B. variegata</i>	<i>Pongamia glabra</i>
	<i>Saraca indica</i>	<i>B. acuminata</i>	<i>Kydia calycina</i>
	<i>Pongamia glabra</i>	<i>Browne coccinia</i>	<i>Thespesia populnea</i>
	<i>Pterocarpus indicus</i>	<i>Cassia fistula</i>	<i>Ficus bengalensis</i>

	Kydia calycina	Enterolobium saman	Moringa oleifera
	Thespesia populnea	Saraca indica	Madhuka latifolia
	Moringa oleifera	Pongamia glabra	
	Madhuka latifolia	Kydia calycina	
	Sterculia foetida	Chorisia speciosa	
	Guaiacum officinale	Thespesia populnea	
	Bamboo sps	Ficus bengalensis	
		Moringa oleifera	
		Madhuka latifolia	
		Sterculia foetida	
		Mangifera indica	
		Bamboo sps	
<b>Trees with ornamental foliage</b>	Polyalthia longifolia	Polyalthia longifolia	Polyalthia longifolia
	Putranjiva roxburghii	Putranjiva roxburghii	Putranjiva roxburghii
	Tamarindus indica	Tamarindus indica	Tamarindus indica
	Azadirachta indica	Azadirachta indica	Azadirachta indica
	Moringa plerygosperma	Moringa plerygosperma	
	Callistemon lanceolatus	Callistemon lanceolatus	Moringa plerygosperma
<b>Shade trees</b>	Tamarindus indica		
	Azadirachta indica	Tamarindus indica	Tamarindus indica

#### 1.4 Northern Region and North Eastern Hills

North Eastern Hills			
Agro-climatic zone	(12)	Northern Plain (13)	Northern Plain (14)
Soil type	Red and lateritic soils	Alluvium derived soils	Alluvium derived soils
Climatic condition	Perhumid	Semi-arid	Sub-humid
<b>Shrubs with fragrant</b>	Artobotrysodoratissi	Tabernaemontana	Tabernaemontana

North Eastern Hills			
Agro-climatic zone	(12)	Northern Plain (13)	Northern Plain (14)
Soil type	Red and lateritic soils	Alluvium derived soils	Alluvium derived soils
Climatic condition	Perhumid	Semi-arid	Sub-humid
<b>flowers</b>	mus	coronaria	coronaria
	<i>Michelia champaca</i>	<i>Hiptage madablotia</i>	<i>Lawsonia alba</i> Lam
	<i>Ixora parviflora</i>	<i>Nyctanthes arbortristis</i>	<i>G.lucida</i>
		<i>G.lucida</i>	<i>G. latifolia</i>
		<i>G. latifolia</i>	<i>Ixora parviflora</i>
		<i>Anthocephalus cadamba</i>	<i>Anthocephalus cadamba</i>
		<i>Mimusops elengi</i>	<i>Mimusops elengi</i>
		<i>Murraya exotica</i>	<i>Murraya exotica</i>
		<i>Citrus aurantium</i>	<i>Citrus aurantium</i>
		<i>Cestrum nocturnum</i>	
		<i>Thevetia nerifolia</i>	
<b>Ornamental and flowering trees</b>	<i>Plumeria acutifolia</i>	<i>Plumeria acutifolia</i>	
	<i>P. rubra</i>	<i>P. rubra</i>	<i>S. nilotica</i>
	<i>P. alba</i>	<i>P. alba</i>	<i>Cochlospermum gossypium</i>
	<i>Dillenia indica</i>	<i>S. nilotica</i>	<i>Terminalia arjuna</i>
	<i>Lagerstroemia flosreginae</i>		<i>Crataeva religiosa</i>
	<i>L. thorellii</i>		<i>Lagerstroemia flosreginae</i>
	<i>Amherstia nobilis</i>	<i>Cochlospermum gossypium</i>	<i>L. thorellii</i>
	<i>Enterolobium saman</i>	<i>Cordia sebestena</i>	<i>Peltophorum inerme</i>
	<i>Cassia fistula</i>	<i>Terminalia arjuna</i>	<i>Cassia fistula</i>
	<i>Enterolobium saman</i>	<i>Crataeva religiosa</i>	<i>Pongamia pinnata</i>

North Eastern Hills			
Agro-climatic zone	(12)	Northern Plain (13)	Northern Plain (14)
Soil type	Red and lateritic soils	Alluvium derived soils	Alluvium derived soils
Climatic condition	Perhumid	Semi-arid	Sub-humid
		Lagerstroemia flosreginae	Kydia calycina
	Saraca indica	L. thorellii	Chorisia speciosa
	Mesua ferra	Peltophorum inerme	Ficus bengalensis
	Bamboo sps		
	Anthocephalus cadamba	Butea frondosa	Moringa oleifera
	Saraca indica	Bauhinia purpurea	Bamboo sps
		B. tomentosa	
		B. triandra	
		Browne coccinia	
		Cassia fistula	
		Pongamia pinnata	
		Kydia calycina	
		Thespesia populnea	
		Ficus bengalensis	
		Moringa oleifera	
		Dalbergia sissoo	
		Bamboo sps	
<b>Trees with ornamental foliage</b>	Delonix regia	Polyalthia longifolia	Polyalthia longifolia
		Anogeissus pendula	Putranjiva roxburghii
		Putranjiva roxburghii	Tamarindus indica
		Tamarindus indica	Azadirachta indica
		Azadirachta indica	Moringa plerygosperma
			Callistemon lanceolatus